

# KSLS18X








<b>Product family</b>	Hood
<b>Hood Type</b>	Island Cooker Hoods
<b>Design</b>	Suspended
<b>Extraction</b>	Re-circulation only
<b>Electronic control</b>	Yes
<b>Perimeter extraction</b>	Yes
<b>Material</b>	Aluminium
<b>EAN code</b>	8017709351892
<b>Hood width</b>	180 cm
<b>Aesthetics</b>	Isola
<b>Colour</b>	Stainless Steel and Glass
<b>Finishing</b>	Brushed
<b>Glass Type</b>	Black
<b>Serigraphy colour</b>	Grey
<b>Logo</b>	Silk screen



## Controls

<b>Control setting</b>	Touch on metal	<b>Led colour</b>	White
------------------------	----------------	-------------------	-------

## Program / Functions

<b>No. of speeds</b>	3
<b>Intensive speed</b>	
<b>24h air filter function</b>	
<b>Other functions</b>	
 Delay_function	
<b>Time-setting options</b>	
<b>Auto-Vent 2.0</b>	
<b>H-Condense System</b>	Yes

## Technical Features

   	<b>No. of lights</b>	2	<b>Motor power</b>	275 W
	<b>Light type</b>	LED	<b>No. of filters</b>	2
	<b>Light power</b>	48 W	<b>Anti-grease filters</b>	Aluminium
	<b>Dimmer mode</b>	Yes		

<b>Light colour temperature range</b>	2700 - 6500 K	<b>Filter replacement indicator</b>	Yes
<b>Free outlet maximum capacity</b>	650 m <sup>3</sup> /h	<b>Minimum distance from GAS hob</b>	650 mm
		<b>Minimum distance from ELECTRIC hob</b>	550 mm

	<b>Extraction rate IEC 61591 [m<sup>3</sup>/h]</b>	<b>Noise level IEC 60704-2-13 [dBA]</b>
Speed 1	120	43
Speed 2	200	58
Speed 3	420	65
Intensive speed	650	73

## Accessories Included

<b>Remote control</b>	Yes	<b>Charcoal filters included</b>	Yes regenerable
-----------------------	-----	----------------------------------	-----------------

## Electrical Connection

<b>Battery type</b>	Alkaline-Manganese Dioxide (Zn/MnO <sub>2</sub> )	<b>Frequency (Hz)</b>	50-60 Hz
<b>Nominal power</b>	291 W	<b>Power supply cable length</b>	3500 mm
<b>Voltage</b>	220-240 V	<b>Plug</b>	No

## Also available

<b>Alternative colours available</b>	Matte Black	<b>Available colours</b>	KSLS18MB
--------------------------------------	-------------	--------------------------	----------



---

## Alternative products

---

**KSLS18MB**

**Colour: Matte Black**



---

## Symbols glossary

---



**24h:** When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



**Switch off automatically:** A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



**Warning light(s):** to advise when filters need changing.



**Perimeter extraction panels:** very efficient and aid noise reduction.



**Connection between hob and hood**



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Delay timer:** can be set to run the programme at a convenient time or to take advantage of off-peak energy periods.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



**Intensive/turbo setting:** when extra fast extraction is required.



**Dimmering Lights**