

KSLS18X



Product family	Hood
Hood Type	Decorative island hood
Design	Suspended
Extraction	Recirculation
Electronic control	Yes
Perimeter extraction	Yes
Material	Aluminium
EAN code	8017709351892
Hood width	180 cm
Aesthetic	Isola
Colour	Stainless Steel and Glass
Finishing	Satin
Glass Type	Black
Serigraphy colour	Grey
Logo	Silk screen



Controls

Control setting	Touch on metal	Led color	White
-----------------	----------------	-----------	-------

Program / Functions

No. of speeds	3
Intensive speed	
24h air filter function	
Other functions	Delay_function
Time-setting options	
Auto-vent 2.0	
H-Condense System	Yes

Technical Features



No. of lights	2	Motor power	275 W
Light type	LED	No. of filters	2
Light Power	48 W	Anti-grease filters	Aluminium
Dimmer mode	Yes	Filter replacement indicator	Yes
Light color temperature range	2700 - 6500 K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	650 m³/h		

Minimum distance from 550 mm
ELECTRIC hob

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	120	43
Speed 2	200	58
Speed 3	420	65
Intensive speed	650	73

Accessories included

Remote control Yes

Charcoal filters included Yes regenerable

Electrical Connection

Battery type Alkaline-Manganese Dioxide (Zn/MnO₂)

Frequency (Hz) 50-60 Hz

Electrical connection rating 291 W

Power supply cable length 3500 mm

Voltage 220-240 V

Plug Not present

Also available

Alternative colours available Matt Black

Available colours KSL18MB












Alternative products

KSLS18MB

Colour: Matt Black



Symbols glossary

- | | | | |
|--|---|---|--|
|  | 24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level. |  | Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking. |
|  | Connection between hob and hood |  | Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically. |
|  | Dimmering Lights |  | Warning light(s): to advise when filters need changing. |
|  | Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen. |  | Perimeter extraction panels: very efficient and aid noise reduction. |
|  | Intensive/turbo setting: when extra fast extraction is required. | | |