

# KSLS18X








<b>Product family</b>	Hood
<b>Hood Type</b>	Decorative island hood
<b>Design</b>	Suspended
<b>Extraction</b>	Recirculation
<b>Electronic control</b>	Yes
<b>Perimeter extraction</b>	Yes
<b>Material</b>	Aluminium
<b>EAN code</b>	8017709351892
<b>Hood width</b>	180 cm
<b>Aesthetic</b>	Isola
<b>Colour</b>	Stainless Steel and Glass
<b>Finishing</b>	Satin
<b>Glass Type</b>	Black
<b>Serigraphy colour</b>	Grey
<b>Logo</b>	Silk screen



## Controls

<b>Control setting</b>	Touch on metal	<b>Led color</b>	White
------------------------	----------------	------------------	-------

## Program / Functions

<b>No. of speeds</b>	3
<b>Intensive speed</b>	
<b>24h air filter function</b>	
<b>Other functions</b>	
 Delay_function	
<b>Time-setting options</b>	
<b>Auto-vent 2.0</b>	
<b>H-Condense System</b>	Yes

## Technical Features

   	<b>No. of lights</b>	2	<b>Motor power</b>	275 W
	<b>Light type</b>	LED	<b>No. of filters</b>	2
	<b>Light Power</b>	48 W	<b>Anti-grease filters</b>	Aluminium
	<b>Dimmer mode</b>	Yes		

**Light color temperature range** 2700 - 6500 K

**Free outlet maximum capacity** 650 m<sup>3</sup>/h

**Filter replacement indicator** Yes

**Minimum distance from GAS hob** 650 mm

**Minimum distance from ELECTRIC hob** 550 mm

	<b>Extraction rate IEC 61591 [m<sup>3</sup>/h]</b>	<b>Noise level IEC 60704-2-13 [dBA]</b>
Speed 1	120	43
Speed 2	200	58
Speed 3	420	65
Intensive speed	650	73

## Accessories included

**Remote control** Yes

**Charcoal filters included** Yes regenerable

## Electrical Connection

**Battery type** Alkaline-Manganese Dioxide (Zn/MnO<sub>2</sub>)

**Electrical connection rating** 291 W

**Voltage** 220-240 V

**Frequency (Hz)** 50-60 Hz

**Power supply cable length** 3500 mm

**Plug** Not present

## Also available

**Alternative colours available** Matt Black

**Available colours** KSL18MB



---

## Alternative products

---

**KSLS18MB**











Colour: Matt Black



---

## Symbols glossary

---

	24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.		Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.
	Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.		Delay timer: can be set to run the programme at a convenient time or to take advantage of off-peak energy periods.
	Warning light(s): to advise when filters need changing.		Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.
	Perimeter extraction panels: very efficient and aid noise reduction.		Intensive/turbo setting: when extra fast extraction is required.
	Connection between hob and hood		Dimmering Lights