

KSM24XU

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709118433
Hood width	24 "



Aesthetics

Aesthetic	Universale	Serigraphy colour	Black
Colour	Stainless steel	Logo	Embossed
Finishing	Satin		



Controls

Control setting	Buttons
-----------------	---------

Programs / Functions

No. of speeds	3
---------------	---

Technical Features

			
No. of lights	2	No. of filters	2
Light type	Halogen	Anti-grease filters	Stainless steel
Light Power	20 W	Vent outlet	5 7/8 "
Free outlet maximum capacity	521 CFM	Non return valve	Yes
Motor power	450 W		

Extraction rate IEC
61591 [CFM]

Noise level IEC 60704-2-13
[dB(A)]


Speed 1	203	53
Speed 2	406	69
Speed 3	494.5	74

Electrical Connection

Electrical connection rating	490 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1500 "

Optional accessories

Charcoal filter	KITFC161	Chimney extension	KISMSNKSM
-----------------	----------	-------------------	-----------



Not included accessories



KITFC161

Charcoal filters Kit 2 pieces

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.