

KSM30XU

Product family	Hood
Hood Type	Decorative wall hood
Design	Flat T-shaped
Extraction	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709152307
Hood width	30 "



Aesthetic

Aesthetics	Universal	Silkscreen color	Black
Color	Stainless steel	Logo	Embossed
Finishing	Satin		

Controls

Control setting	Buttons
-----------------	---------

Programs / Functions

Speed levels	3
--------------	---

Technical Features



No. of lights	2	No. of filters	2
Lighting	Halogen	Anti-grease filters	Stainless steel
Light power	20 W	Vent outlet	5 7/8 "
Maximum extraction capacity at free mode	521 CFM	Non-return valve	Yes
Motor power	450 W		

	Extraction rate [CFM]	Noise level [dB(A)]
Speed level 1	203	53


Speed 2	406	69
Speed 3	494.5	74

Electrical Connection

Electrical connection rating	490 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1500 "

Optional accessories

Charcoal filter	KITFC161	Chimney extension	KISMSNKSM
-----------------	----------	-------------------	-----------



---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.