

# KSM36XU

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709118426
Hood width	36 "



## Aesthetics

Aesthetic	Universale	Serigraphy colour	Black
Colour	Stainless steel	Logo	Embossed
Finishing	Satin		



## Controls

Control setting	Buttons
-----------------	---------

## Programs / Functions

No. of speeds	3
---------------	---

## Technical Features

			
No. of lights	3	No. of filters	3
Light type	Halogen	Anti-grease filters	Stainless steel
Light Power	20 W	Vent outlet	5 7/8 "
Free outlet maximum capacity	521 CFM	Non return valve	Yes
Motor power	450 W		

Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dB(A)]
------------------------------------	---------------------------------------


Speed 1	203	53
Speed 2	406	69
Speed 3	494.5	74

## Electrical Connection

Electrical connection rating	510 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1500 "

## Optional accessories

Charcoal filter	KITFC161	Chimney extension	KISMSNKSM
-----------------	----------	-------------------	-----------



---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.