

KSPP120XC

Product family Hood

Hood Type Decorative wall hood

DesignT flatExtractionExtractionElectronic controlYes

MaterialStainless steelType of steelBrushed

EAN code 8017709223083

Aesthetic Universale
Colour Stainless steel

Finishing Satin
Serigraphy colour Black
Logo Silk screen

Controls

Control setting Electronic buttons Led color Ice

Program / Functions

No. of speeds
Intensive speed

Technical Features



No. of lights 3 No. of filters 4
Light type LED Anti-grease filters Aluminium

Light Power 1 W Filter replacement Yes

Free outlet maximum 950 m³/h indicator

capacity Vent outlet 150 mm Motor power 355 W

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	400	57
Speed 2	660	64
Speed 3	750	68
Intensive speed	850	71

SMEG SPA 25/7/2025



Electrical Connection

Plug

Electrical connection rating

Voltage

Not present

359 W

230 V

Frequency (Hz)
Power supply cable

length

50 Hz 1500 mm

SMEG SPA 25/7/2025



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 25/7/2025