

# KSPP120XC

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Electronic control	Yes
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709223083
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Serigraphy colour	Black
Logo	Silk screen

## Controls

Control setting	Electronic buttons	Led color	Ice
-----------------	--------------------	-----------	-----

## Programs / Functions

No. of speeds	3
Intensive speed	

## Technical Features



No. of lights	3	No. of filters	4
Light type	LED	Anti-grease filters	Aluminium
Light Power	1 W	Filter replacement indicator	Yes
Free outlet maximum capacity	950 m <sup>3</sup> /h	Vent outlet	150 mm
Motor power	355 W		

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	400	57
Speed 2	660	64
Speed 3	750	68
Intensive speed	850	71

## Electrical Connection

---

<b>Plug</b>	Not present	<b>Frequency (Hz)</b>	50 Hz
<b>Electrical connection rating</b>	359 W	<b>Power supply cable length</b>	1500 mm
<b>Voltage</b>	230 V		

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Warning light(s):** to advise when filters need changing.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



**Intensive/turbo setting:** when extra fast extraction is required.