

KSPP120XC

Product family Hood

Decorative wall hood **Hood Type**

Design T flat Extraction Extraction **Electronic control** Yes

Stainless steel Material Type of steel Brushed

EAN code 8017709223083

Hood width 120 cm **Aesthetic** Universale Colour Stainless steel

Satin **Finishing** Serigraphy colour Black Silk screen Logo

Controls

Electronic buttons Led color Control setting Ice

Program / Functions

No. of speeds Intensive speed

Technical Features





No. of filters No. of lights 3

Light type LED **Anti-grease filters** Aluminium **Light Power** 1 W Filter replacement Yes

indicator Free outlet maximum 950 m³/h

Vent outlet 150 mm capacity Motor power 355 W

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	400	57
Speed 2	660	64
Speed 3	750	68
Intensive speed	850	71

SMEG SPA 6/12/2025



Electrical Connection

Electrical connection 359 W rating

Voltage 230 V Frequency (Hz) 50 Hz Power supply cable

length

Plug

1500 mm

Not present

SMEG SPA 6/12/2025



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 6/12/2025