

KSP120XC

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Electronic control	Yes
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709223083
Hood width	120 cm

Aesthetics

Aesthetic Colour Finishing	Universale Stainless steel Satin	Serigraphy colour Logo	Black Silk screen
----------------------------	--	---------------------------	----------------------


Controls

Control setting	Electronic buttons	Led color	Ice
-----------------	--------------------	-----------	-----

Programme / Functions

No. of speeds	3
Intensive speed	

Technical Features



No. of lights	3	No. of filters	4
Light type	LED	Anti-grease filters	Aluminium
Light Power	1 W	Filter replacement indicator	Yes
Free outlet maximum capacity	950 m ³ /h	Vent outlet	150 mm
Motor power	355 W		

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2- 13 [dB(A)]
Speed 1	400	57
Speed 2	660	64
Speed 3	750	68
Intensive speed	850	71

Electrical Connection





Electrical connection rating
Voltage

359 W
230 V

Frequency (Hz)
Power supply cable
length

50 Hz
1500 mm

Symbols glossary (TT)

- | | | | |
|--|---|---|--|
|  | Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking. |  | Warning light(s): to advise when filters need changing. |
|  | Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen. |  | Intensive/turbo setting: when extra fast extraction is required. |