

# KT110BLA

Product family Hood

Hood Type Decorative wall hood

DesignChimneyExtractionExtractionElectronic controlYes

Material Painted material

Type of steel Brushed

EAN code 8017709217129

Hood width 110 cm
Aesthetic Victoria
Colour Black
Finishing Glossy
Logo Applied



#### **Controls**

Control setting Electronic buttons Led color White

## **Program / Functions**

No. of speeds Intensive speed

Time-setting options





### **Technical Features**



No. of lights 2 No. of filters 4

Light typeLEDAnti-grease filtersAluminiumLight Power2 WVent outlet150 mmLight color temperature3000 KMinimum distance from750 mm

scale (K) GAS hob

Free outlet maximum 820 m³/h Minimum distance from 650 mm

capacity ELECTRIC hob

Motor power 275 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	334	50
Speed 2	439	57



Speed 3	567	63
Intensive speed	788	70

## **Electrical Connection**

**Electrical connection** 

279 W

Frequency (Hz)

50-60 Hz

rating Voltage

220-240 V

Power supply cable

1000 mm

length

### Also available

Alternative colours availible

Cream

Available colours

KT110PA



# **Compatible Accessories**

#### FLT6

Round Charcoal filters (kit 2 pieces)





#### **KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes




## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.





Intensive/turbo setting: when extra fast extraction is required.