

KT90BLA

Product family Hood

Hood Type Decorative wall hood

Design Chimney
Extraction Extraction
Electronic control Yes

Material Painted material

Type of steel Brushed

EAN code 8017709217105

Hood width 90 cm



Aesthetics

AestheticVictoriaFinishingGlossyColourBlackLogoApplied

Controls

Control setting Electronic buttons Led color White

Programs / Functions

No. of speeds Intensive speed

Time-setting options



Technical Features



No. of lights 2 No. of filters 3

Light typeLEDAnti-grease filtersAluminiumLight Power1 WVent outlet150 mmLight color temperature3000 °KMinimum distance from650 mm

scale (°K) GAS hob

Free outlet maximum 820 m³/h Minimum distance from 650 mm capacity ELECTRIC hob

Motor power275 WNon return valveYes



	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dB(A)]
Speed 1	334	50
Speed 2	439	57
Speed 3	567	63
Intensive speed	788	70

Electrical Connection

Electrical connection

277 W

rating Voltage

220-240 V

Frequency (Hz)
Power supply cable

length

50-60 Hz 1000 mm

Also available

Alternative colours availible

White, Cream

Available colours

КТ90ВА-КТ90РА



Not included accessories

FLT6



Round Charcoal filters (kit 2 pieces)



KITCMNKBU

Prolunga Camino per cappa VICTORIA nera dimensioni 227,5 * 190 * 800 mm

KITALLFC



Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.