

KT90PA

Product family Hood

Hood Type Decorative wall hood

Design Chimney
Extraction Extraction
Electronic control Yes

Material Painted material

Type of steel Brushed

EAN code 8017709217112

Hood width 90 cm
Aesthetic Victoria
Colour Cream
Finishing Glossy
Logo Applied



Controls

Control setting Electronic buttons Led color White

Program / Functions

No. of speeds Intensive speed

Time-setting options





Technical Features



No. of lights 2 No. of filters 3

Light typeLEDAnti-grease filtersAluminiumLight Power1 WVent outlet150 mmLight color temperature3000 KMinimum distance from750 mm

scale (K) GAS hob

Free outlet maximum 820 m³/h Minimum distance from 650 mm

capacity ELECTRIC hob

Motor power 275 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	334	50
Speed 2	439	57



Speed 3	567	63
Intensive speed	788	70

Electrical Connection

Electrical connection

277 W

Frequency (Hz)

50-60 Hz

rating Voltage

220-240 V

Power supply cable

1000 mm

length

Also available

Alternative colours availible

White, Black

Available colours

KT90BA-KT90BLA



Compatible Accessories

FLT6

Round Charcoal filters (kit 2 pieces)



KITCMNKPU

Chimney extension dimension 227.5 * 190 * 800 Cream Victoria hood 90 cm



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.