

# KTU36BL

Product family	Hood
Hood Type	Decorative wall hood
Design	Chimney
Extraction	Extraction
Material	Painted material
Type of steel	Brushed
EAN code	8017709242060
Hood width	36 "



## Aesthetics

Aesthetic	Victoria	Finishing	Glossy
Colour	Black	Logo	Applied

## Controls

Control setting	Control knobs	Control knobs	Victoria
No. of controls	2	Controls colour	Steel effect

## Programs / Functions

No. of speeds	4
---------------	---

## Technical Features



No. of lights	2	No. of filters	3
Light type	Halogen	Anti-grease filters	Aluminium
Light Power	20 W	Vent outlet	5 7/8 "
Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	650 "
Free outlet maximum capacity	482.5 CFM	Minimum distance from ELECTRIC hob	650 "
Motor power	455 W	Non return valve	Yes


	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	275.5	48
Speed 2	411.5	55
Speed 3	551	61
Speed 4	665	69

Electrical Connection

Electrical connection rating	495 W	Frequency (Hz)	60 Hz
Current	4 A	Power supply cable length	1500 "
Voltage	120 V		

Also available

Alternative colours available	White, Stainless steel, Cream	Available colours	KTU36WH-KTU36X-KTU36P
-------------------------------	-------------------------------	-------------------	-----------------------



---

## Not included accessories

---



### KITCMNKBU

Chimney extension size 227.5 \* 190 \* 800 mm black color, allow to reach 1475 mm of total high of the hood



### KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



### FLTK-1

Round Charcoal filters (kit 2 pieces)

---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.