

# KUC24X

Product family	Hood
Hood Type	Under cabinet
Design	Canopy pro-style
Extraction	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709248000
Hood width	24 "
Aesthetics	Classic
Color	Stainless steel
Finishing	Satin
Silkscreen color	Black
Logo	Silkscreened



## Controls

Control setting	Control knobs	Control knobs	Pro-style
No. of controls	2	Controls color	Black

## Program / Functions

Speed levels	4
--------------	---

## Technical Features




No. of lights	2	No. of filters	2
Lighting	Halogen	Anti-grease filters	Aluminum
Light power	20 W	Vent outlet	5 7/8 "
Light color temperature scale (K)	3000 K	Minimum distance from gas cooktop	750 "
Maximum extraction capacity at free mode	590.5 CFM	Minimum distance from electric cooktop	650 "
Motor power	455 W	Non-return valve	Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	215	53
Speed 2	322.5	62
Speed 3	454	69
Speed level 4	586	75

## Electrical Connection

<b>Electrical connection rating</b>	495 W	<b>Frequency (Hz)</b>	60 Hz
<b>Voltage</b>	120 V	<b>Power supply cable length</b>	1000 "





---

## Compatible Accessories

---

### FLTK-1



Round Charcoal filters (kit 2 pieces)

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.