

KUC24X

Product family Hood

Hood Type Under cabinet

Design Canopy pro-style

Extraction Vented

Material Stainless steel

Stainless steel type Brushed

EAN code 8017709248000

Hood width 24 "
Aesthetics Classic

Color Stainless steel

Finishing Satin **Silkscreen color** Black

Logo Silkscreened



Controls

Control settingControl knobsControl knobsPro-styleNo. of controls2Controls colorBlack

Program / Functions

Speed levels

Technical Features





Maximum extraction

No. of lights 2 No. of filters 2

LightingHalogenAnti-grease filtersAluminumLight power20 WVent outlet5 7/8 "Light color temperature3000 KMinimum distance from750 "

scale (K) gas cooktop

590.5 CFM Minimum distance from 650 "

capacity at free mode electric cooktop


Motor power 455 W Non-return valve Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	215	53
Speed 2	322.5	62
Speed 3	454	69
Speed level 4	586	75



Electrical Connection

Electrical connection 495 W Frequency (Hz) 60 Hz rating Power supply cable 1000 " Voltage 120 V length





Compatible Accessories

FLTK-1



Round Charcoal filters (kit 2 pieces)



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.