

# KUC30X

Product family	Hood
Hood Type	Under cabinet
Design	Canopy pro-style
Extraction	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709248024
Hood width	30 "



## Aesthetic

Aesthetics	Classic	Silkscreen color	Black
Color	Stainless steel	Logo	Silkscreened
Finishing	Satin		

## Controls

Control setting	Control knobs	Control knobs	Pro-style
No. of controls	2	Controls color	Black

## Program / Functions

Speed levels	4
--------------	---


## Technical Features

			
No. of lights	2	No. of filters	2
Lighting	Halogen	Anti-grease filters	Aluminum
Light power	20 W	Vent outlet	5 7/8 "
Light color temperature scale (°K)	3000 °K	Minimum distance from gas cooktop	650 "
Maximum extraction capacity at free mode	599 CFM	Minimum distance from electric cooktop	650 "
Motor power	455 W	Non-return valve	Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	213	54
Speed 2	325.5	63
Speed 3	454	70
Speed level 4	590.5	76

## Electrical Connection

Electrical connection rating	485 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 "



## Not included accessories

---



FLTK-1

Round Charcoal filters (kit 2 pieces)

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.