

# KUC36X

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Canopy pro-style
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709248031
Hood width	36 "



## Aesthetics

Aesthetic Colour Finishing	Classica Stainless steel Satin	Serigraphy colour Logo	Black Silk screen
----------------------------	--------------------------------------	---------------------------	----------------------

## Controls

Control setting No. of controls	Control knobs 2	Control knobs Controls colour	Smeg USA Black
------------------------------------	--------------------	----------------------------------	-------------------

## Technical Features

			
No. of lights	2	No. of filters	3
Light type	Halogen	Anti-grease filters	Aluminium
Light Power	20 W	Vent outlet	5 7/8 "
Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	750 "
Free outlet maximum capacity	598.5 CFM	Minimum distance from ELECTRIC hob	650 "
Motor power	455 W	Non return valve	Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dBA]
Speed 1	219.5	54

Speed 2	330	63
Speed 3	455	70
Speed 4	593.5	76


## Electrical Connection

Electrical connection rating  
Voltage

495 W  
120 V

Frequency (Hz)  
Power supply cable length

60 Hz  
1000 "



## Not included accessories

---



FLTK-1

Round Charcoal filters (kit 2 pieces)

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.