

# KUC36X

Product family	Hood
Hood Type	Under cabinet
Design	Canopy pro-style
Venting type	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709248031
Hood width	36 "
Aesthetics	Classic
Color	Stainless steel
Finishing	Satin
Silkscreen color	Black
Logo	Silkscreened



## Controls

Control setting	Control knobs	Control knobs	Pro-style
No. of controls	2	Controls color	Black

## Program / Functions

Speed levels	4
--------------	---

## Technical Features

			
No. of lights	2	No. of filters	3
Lighting	Halogen	Anti-grease filters	Aluminum
Light power	20 W	Vent outlet	5 7/8 "
Light color temperature scale (K)	3000 K	Minimum distance from gas cooktop	750 "
Maximum extraction capacity at free mode	598.5 CFM	Minimum distance from electric cooktop	650 "
Motor power	455 W	Non-return valve	Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	219.5	54
Speed 2	330	63
Speed 3	455	70
Speed level 4	593.5	76


## Electrical Connection

Electrical connection rating  
Voltage

495 W  
120 V

Frequency (Hz)  
Power supply cable length

60 Hz  
1000 "



---

## Compatible Accessories

---



FLTK-1

Round Charcoal filters (kit 2 pieces)

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.