KUC36X

Product family	Hood
Hood Type	Under cabinet
Design	Canopy pro-style
Venting type	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709248031
Hood width	36 "
Aesthetics	Classic
Color	Stainless Steel
Finishing	Satin
Silkscreen color	Black
Logo	Silkscreened



Controls

Control setting	Control knobs	**Control knobs**	Pro-style
No. of controls	2	**Controls color**	Black

Program / Functions

Speed levels	4


Technical Features

No. of lights	2	**No. of filters**	3
Lighting	Halogen	**Anti-grease filters**	Aluminum
Light power	20 W	**Vent outlet**	5 7/8 "
Light color temperature scale (K)	3000 K	**Minimum distance from gas cooktop**	750 "
Maximum extraction capacity at free mode	598.5 CFM	**Minimum distance from electric cooktop**	650 "
Motor power	455 W	**Non-return valve**	Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	219.5	54
Speed 2	330	63
Speed 3	455	70
Speed level 4	593.5	76

Electrical Connection

Electrical connection rating	495 W	**Frequency (Hz)**	60 Hz
Voltage	120 V	**Power supply cable length**	1000 "



Compatible Accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.