

KUC48X

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Canopy pro-style
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709248048
Hood width	48 "



Aesthetics

Aesthetic Colour Finishing	Classica Stainless steel Satin	Serigraphy colour Logo	Black Silk screen
----------------------------	--------------------------------------	------------------------	----------------------

Controls

Control setting No. of controls	Control knobs 2	Control knobs Controls colour	Smeg USA Black
------------------------------------	--------------------	----------------------------------	-------------------

Technical Features


			
No. of lights	2	No. of filters	3
Light type	Halogen	Anti-grease filters	Aluminium
Light Power	20 W	Vent outlet	5 7/8 "
Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	750 "
Free outlet maximum capacity	587.5 CFM	Minimum distance from ELECTRIC hob	650 "
Motor power	455 W	Non return valve	Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dBA]
Speed 1	211.5	54

Speed 2	322	63
Speed 3	453	70
Speed 4	584.5	75

Electrical Connection

Electrical connection rating	495 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 "



Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.