

KUC48X

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Canopy pro-style
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709248048
Hood width	48 "



Aesthetics

Aesthetic	Classica	Serigraphy colour	Black
Colour	Stainless steel	Logo	Silk screen
Finishing	Satin		



Controls

Control setting	Control knobs	Control knobs	Smeg USA
No. of controls	2	Controls colour	Black

Programs / Functions

No. of speeds	4
---------------	---


Technical Features

			
No. of lights	2	No. of filters	3
Light type	Halogen	Anti-grease filters	Aluminium
Light Power	20 W	Vent outlet	5 7/8 "
Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	750 "
Free outlet maximum capacity	587.5 CFM	Minimum distance from ELECTRIC hob	650 "
Motor power	455 W	Non return valve	Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	211.5	54
Speed 2	322	63
Speed 3	453	70
Speed 4	584.5	75

Electrical Connection

Electrical connection rating	495 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 "



Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.