

LD102D

Sink material	Stainless steel
Type	Welded sink
No. of bowls	1 + 1/2
Drainer	Right
EAN code	8017709148485




Aesthetics

	Aesthetic	Universale	Finishing	Brushed
	Series	Mira	Building in type	Ultra-low profile
	Colour	Stainless steel	Logo	Embossed

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	1	147 x 296 x 150	150	50		Centre of bowl	3.5"
LH Bowl	Minimum radius	1	340 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"


Technical Features

	Frame thickness	0.7 mm	Tap hole	1
	Frame depth (mm)	17	Dividing wall width	30 mm
	Dimensions of the product (mm)	220x1010x510 mm	Drainer inclination	1 °
	Cutout dimension topmount (mm)	980 x 480 mm	Gasket type	Sealing paste
	Undermount cutout radius	10 mm	No. of clips	12
	Height from kitchen top	6 mm	Type of clips	Standard
	Base unit size	60 cm		

Accessories Included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket



Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



STABMIX

Tap stabiliser



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow

Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24,5



Ultra-low profile: Installation of product with flat edge - height of 1 mm.