

# LDR102-2

|               |                 |
|---------------|-----------------|
| Sink material | Stainless steel |
| Type          | Welded sink     |
| No. of bowls  | 1 + 3/4         |
| Drainer       | Reversible      |
| EAN code      | 8017709304591   |



## Aesthetics



|           |                 |                            |                   |
|-----------|-----------------|----------------------------|-------------------|
| Aesthetic | Universale      | Building in type           | Ultra-low profile |
| Series    | Mira            | Logo                       | Embossed          |
| Colour    | Stainless steel | Tap hole / precut tap hole | 2 Tapholes        |
| Finishing | Brushed         |                            |                   |

|         | Bowl type RH   | Bowl thickness (mm) | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow LH bowl  | Strainer position | Strainer dimension |
|---------|----------------|---------------------|-----------------------------|-----------------|-------------------------------|-------------------|-------------------|--------------------|
| RH Bowl | Half bowl      | 1                   | 147 x 296 x 150             | 150             | 50                            |                   | Centre of bowl    | 3.5"               |
| LH Bowl | Minimum radius | 1                   | 340 x 400 x 200             | 200             | 15                            | Yes, flush fitted | Side bowl         | 3.5"               |

## Technical Features



|                                |                 |                     |               |
|--------------------------------|-----------------|---------------------|---------------|
| Frame thickness                | 0,7 mm          | Popup command       | Yes, double   |
| Frame depth (mm)               | 15              | Popup command type  | Round         |
| Dimensions of the product (mm) | 215x1000x500 mm | Dividing wall width | 30 mm         |
| Cutout dimension topmount (mm) | 980 x 480 mm    | Drainer inclination | 2 °           |
|                                |                 | Gasket type         | Sealing paste |
| Height from kitchen top        | 6 mm            | No. of clips        | 8             |
| Base unit size                 | 80 cm           | Type of clips       | Standard      |


---

|                   |       |
|-------------------|-------|
| Tap hole          | 2     |
| Tap hole diameter | 35 mm |

## Accessories Included

---

|                              |  |
|------------------------------|--|
| Accessories for installation | Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with round rotary control |
|------------------------------|--|



## Not included accessories



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



### COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### 3713

Siphon double bowls sinks (dishwasher connection included)



### STABMIX

Tap stabiliser



### COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



### CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITSLTRND2

2 Bowls automatic Rondò pop up waste kit with rectangular overflow and round knob



### CB28QU

Single HPL chopping board for minimum radius, oak, measures 280 x 418 H 12 mm

---

## Symbols glossary (TT)

---



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24,5



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.