

# LDR102-2

Sink material Stainless steel Type Welded sink No. of bowls 1 + 3/4Drainer Reversible **EAN** code 8017709304591



### **Aesthetics**



Universale Building in type **Aesthetic** Ultra-low profile Colour Stainless steel Logo **Embossed** 2 Tapholes **Finishing** Scotch Brite Tap hole / precut tap hole

Series Mira

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	1	147 x 296 x 150	150	50		Centre of bowl	3.5"
LH Bowl	Minimum radius	1	340 x 400 x 200	200	15	Yes, flush fitted	Side bowl	3.5"

### **Technical Features**



Frame thickness 0,7 mm Frame depth (mm) 15

Dimensions of the product (mm)

215x1000x500 mm

980 x 480 mm

Popup command Yes, double Popup command type Round Dividing wall width 30 mm 2 ° **Drainer inclination** 

**Cutout dimension** topmount (mm)

Gasket type Sealing paste

No. of clips

Type of clips Standard

8

Height from kitchen top 6 mm Base unit size 80 cm

**SMEG SPA** 11/21/2025



Tap hole

2


Tap hole diameter

35 mm

## Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control



SMEG SPA 11/21/2025



## **Compatible Accessories**





Siphon double bowls sinks (dishwasher connection included)

#### CB28QU



Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

#### COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

#### **DB34**



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

#### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### KITSLTRND2



2 Bowls automatic Rondò pop up waste kit with rectangular overflow and round knob

#### CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

#### COL19



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

#### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

#### KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### **STABMIX**



Tap stabiliser

SMEG SPA 11/21/2025



# Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.

SMEG SPA 11/21/2025