

# LDR116-2

Sink material Stainless steel
Type Welded sink

No. of bowls 2

**Drainer** Reversible

EAN code 8017709304607



## **Aesthetics**



AestheticUniversaleBuilding in typeUltra-low profileSeriesMiraLogoEmbossed

Colour Stainless steel Tap hole / precut tap 2 Tapholes

Finishing Brushed hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	340 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"
LH Bowl	Minimum radius	1	340 x 400 x 200	200	15		Side bowl	3.5"

## **Technical Features**



Frame thickness 0,7 mm Tap hole diameter 35 mm
Frame depth (mm) 15 Popup command Yes, double

Dimensions of the 215x1160x500 mm Popup command type Round product (mm) Dividing wall width 75 mm

Cutout dimension 1140 x 480 mm Drainer inclination 2°

topmount (mm) Gasket type Sealing paste

Undermount cutout 10 mm No. of clips 10 radius Type of clips Standard




Height from kitchen top 6 mm
Base unit size 90 cm
Tap hole 2

## **Accessories Included**

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control





### Not included accessories



#### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### **DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



#### COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



#### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### 3713

Siphon double bowls sinks (dishwasher connection included)



#### **STABMIX**

Tap stabiliser



#### COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



#### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



#### CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



#### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITSLTRND2

2 Bowls automatic Rondò pop up waste kit with rectangular overflow and round knob



#### RND2V

2 Bowls standard Rondò waste kit with rectangular overflow



#### CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm



## Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.