

# LDR116SA

|               |                 |
|---------------|-----------------|
| Sink material | Stainless steel |
| Type          | Welded sink     |
| No. of bowls  | 2               |
| Drainer       | Reversible      |
| EAN code      | 8017709342296   |



## Aesthetics



|                  |                   |                               |            |
|------------------|-------------------|-------------------------------|------------|
| Aesthetic        | Universal         | Logo                          | Embossed   |
| Serie            | Mira              | Alternative colours available | No         |
| Colour           | Stainless steel   | Half bowl cup drainer         | No         |
| Acabamento       | Escovado          | Tap hole / precut tap hole    | No Taphole |
| Building in type | Ultra-low profile |                               |            |

|         | Bowl type RH   | Bowl thickness (mm) | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow          | Strainer position | Strainer dimension |
|---------|----------------|---------------------|-----------------------------|-----------------|-------------------------------|-------------------|-------------------|--------------------|
| RH Bowl | Minimum radius | 1                   | 340 x 400 x 200             | 200             | 15                            | Yes, flush fitted | Wall position     | 3.5"               |
| LH Bowl | Minimum radius | 1                   | 340 x 400 x 200             | 200             | 15                            | No                | Side bowl         | 3.5"               |

## Technical Features




|                                |                 |                      |               |
|--------------------------------|-----------------|----------------------|---------------|
| Frame thickness                | 0,7 mm          | Popup command type   | Round         |
| Frame depth (mm)               | 15              | Dividing wall width  | 75 mm         |
| Dimensions of the product (mm) | 215x1160x500 mm | Drainer inclination  | 2 °           |
| Cutout dimension topmount (mm) | 1140 x 480 mm   | Gasket type          | Sealing paste |
| Cutout radius                  | 10 mm           | Pre-assembled gasket | No            |
|                                |                 | No. of clips         | 10            |

|                         |             |               |             |
|-------------------------|-------------|---------------|-------------|
| Height from kitchen top | 6 mm        | Type of clips | Standard    |
| Base unit size          | 90 cm       | Popup command | Yes, single |
| Tap hole                | No          |               |             |
| Popup command           | Yes, double |               |             |

## Accessories Included

|                              |                                                                          |                                |    |
|------------------------------|--------------------------------------------------------------------------|--------------------------------|----|
| Accessories for installation | Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket | Wooden board                   | No |
| Colander                     | No                                                                       | Tábua de cortar HPL preta      | No |
| Glass board                  | No                                                                       | Tábua de corte de carvalho HPL | No |
| Basket                       | No                                                                       | White board                    | No |



---

## Compatible Accessories

---



### **KITFD050**

Eliminação de resíduos 0,5 CV Motor:  
1/2 cv Serve para todas as pias com  
saída de resíduos de 3 1/2"



### **KITFD100**

Eliminação de resíduos 1 CV Motor: 1 cv  
Serve para todas as pias com saída de  
resíduos de 3 1/2"



### **KITFD075**

Eliminação de resíduos 0,75 CV Motor:  
3/4 CV Adapta-se a todas as pias  
com saída de resíduos de 3 1/2"



### **STABMIX**

estabilizador para misturadores

---

## Symbols glossary

---



Largura do armário necessária para a instalação da pia



Profundidade da pia - dependendo do modelo, a profundidade pode ser de 13 a 24,5



Perfil ultra baixo: Instalação de produto com borda plana - altura de 1 mm.



Graças ao furo duplo para torneira, a maioria de nossas pias são facilmente reversíveis, dando-lhe a flexibilidade de fazer qualquer tipo de composição de cozinha.

---

## Benefit (TT)

---

### Two bowls

Two bowls for greater versatility and dual functionality

### Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

### Pop-up command

The pop-up command allows the sink drain to be opened and closed remotely with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

### Waste Kit

Possibility to install the waste disposal KITFD100 to easily dispose of organic waste, saving time and effort

The waste disposal is the ideal solution for a clean and sustainable kitchen: simple to use and compact, it disposes of food waste directly from the sink, reducing kitchen bad smells and improving hygiene