

LE102S

Sink material

Type

Welded sink

No. of bowls

1 + 1/2

Drainer

Left

EAN code 8017709129705



Aesthetics

AestheticUniversaleBuilding in typeUltra-low profileSeriesRigaeLogoEmbossed

Colour Stainless steel Half bowl cup drainer Yes

Finishing Brushed Tap hole / precut tap 1 Tap hole

hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	340 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"
LH Bowl	Half bowl	0.7	165 x 300 x 130	130	80		Centre of bowl	3.5"

Technical Features



Frame thickness 0,6 mm Tap hole 1
Frame depth (mm) 18 Dividing wall width 30 mm

Dimensions of the 198x1010x510 mm Drainer inclination 2°

product (mm) Gasket type Sealing paste
Cutout dimension 980 X 490 mm No. of clips 8

topmount (mm)

Type of clips Standard

SMEG SPA 26/04/2024



Undermount cutout

15 mm

radius

Height from kitchen top


6 mm

Base unit size 60 cm

Accessories Included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket



SMEG SPA 26/04/2024



Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser



CB34

Single wooden chopping board to fit STD radius 340 x 400 mm bowl



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow

SMEG SPA 26/04/2024



Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24,5 $\,$



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

SMEG SPA 26/04/2024