

LE116S-2

Sink material	Stainless steel
Type	Welded sink
No. of bowls	2
Drainer	Left
EAN code	8017709198473



Aesthetics

	Aesthetic	Universale	Finishing	Brushed
	Series	Rigae	Building in type	Ultra-low profile
	Colour	Stainless steel	Logo	Embossed

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	340 x 400 x 180	180	50		Wall position	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	50	Yes, traditional	Wall position	3.5"

Technical Features

	Frame thickness	0.6 mm	Tap hole diameter	35 mm
	Frame depth (mm)	15	Dividing wall width	30 mm
	Dimensions of the product (mm)	190x1160x500 mm	Drainer inclination	2 °
	Cutout dimension topmount (mm)	1140 x 480 mm	Gasket type	Sealing paste
	Height from kitchen top	6 mm	No. of clips	12
	Base unit size	80 cm	Type of clips	Standard
	Tap hole	1		

Strainer, Savespace siphon
with dishwasher outlet
connection, Fixing clips,
Gasket



Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



CB34

Single wooden chopping board to fit STD radius 340 x 400 mm bowl



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



STABMIX

Tap stabiliser



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Ultra-low profile: Installation of product with flat edge - height of 1 mm.