

# **LE861S**

Sink material Stainless steel
Type Welded sink

No. of bowls 1
Drainer Left

**EAN code** 8017709129675



### **Aesthetics**



AestheticUniversaleBuilding in typeUltra-low profileSeriesRigaeLogoEmbossed

Colour Stainless steel Tap hole / precut tap 1 Tap hole

Finishing Brushed hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	340 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"

### **Technical Features**



radius

Frame thickness 0,6 mm Base unit size 45 cm Frame depth (mm) 18 Tap hole 1

Dimensions of the 198x870x510 mm Drainer inclination 2° product (mm) Gasket type Se

product (mm)

Gasket type

Sealing paste

No. of clips

6

topmount (mm)

Type of cline

Undermount cutout 15 mm Type of clips Standard

Height from kitchen top 6 mm



# Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket



# **Compatible Accessories**

#### **CB34**



Single wooden chopping board to fit STD radius 340 x 400 mm bowl



#### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### RND1V

Rondò waste kit 1 bowl with standard overflow



#### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### **STABMIX**

Tap stabiliser



# Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



# Benefit (TT)

#### One bowl

A single bowl for greater adaptability, capacity and space optimisation

#### Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

#### Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area