

LEH116D

Materiaal gootsteen	Roestvrij staal
Type spoelunit	Gesoldeerd/ Gelast
Aantal spoelbakken	2
Afdruiprek	Rechts
EAN-code	8017709209247



Design



Esthetiek	Universeel	Type inbouw	Vlak opbouw
Series	Rigae	Logo	In reliëf
Kleur	Roestvrij staal	Geperforeerde opening voor kraan	1 Tap hole
Afwerking	Brushed		

	Type spoelbak	Staaldikte spoelunit (mm)	Afmetingen spoelunit, BxHxD (mm)	Diepte spoelbak (mm)	Hoekradius spoelbak	Overloop spoelbak	Positie afvoer spoelunit	Afmeting afvoer spoelbak
Spoelbak rechts	Traditioneel	0.7	340 x 400 x 210	210	80	Ja, traditioneel	Wandkap	3.5"
Spoelbak links	Traditioneel	0.7	340 x 400 x 210	210	80		Wandkap	3.5"

Technische specificaties



Frame dikte	0.7 mm	Diameter kraangat	35 mm
Diepte frame (mm)	15	Rvs tussenstuk spoelunit	30 mm
Afmetingen product (mm)	225x1160x500 mm	Inclinatie afvoer	2 °
Uitsnij afmetingen top (mm)	1140 x 480 mm	Type garnituur	Afdichtpasta
Hoogte vanaf werkblad	6 mm	Aantal haken	10
Afmeting inbouwmeubel	80 cm	Type haken	Standaard

Compatibele Accessores



CB34

Single wooden chopping board to fit STD radius 340 x 400 mm bowl



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow

Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

Benefit (TT)

Two bowls

Two bowls for greater versatility and dual functionality

Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area