# LFT861D

| | |
|---|---|
| **Sink material** | Stainless steel |
| **Type** | Welded sink |
| **No. of bowls** | 1 |
| **Drainer** | Right |
| **EAN code** | 8017709210441 |



## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | Universale | **Building in type** | Flush fitted, Flat |
| **Colour** | Stainless Steel | **Logo** | Embossed |
| **Finishing** | Scotch Brite | **Tap hole / precut tap hole** | 2 Tapholes |
| **Series** | Mira | | |


| | Bowl type LH | Bowl thickness LH (mm) | Bowl dimensions LH, WxDxA (mm) | LH Bowl depth (mm) | Radius corner left bowl | Overflow LH bowl | Strainer position LH bowl | Strainer dimension LH bowl |
|---|---|---|---|---|---|---|---|---|
| LH Bowl | Minimum radius | 1 | 340 x 400 x 200 | 200 | 15 | Yes, flush fitted | Wall position | 3.5" |

## Technical Features

| | | | |
|---|---|---|---|
| **Frame thickness** | 0,7 mm | **Tap hole diameter** | 35 mm |
| **Frame depth (mm)** | 18 | **Popup command** | Yes, single |
| **Dimensions of the product (mm)** | 218x870x510 mm | **Popup command type** | Squared |
| **Cutout dimension topmount (mm)** | 840 x 480 mm | **Drainer inclination** | 2 ° |
| **Undermount cutout radius** | 5 mm | **Gasket type** | Sealing paste |
| **Height from kitchen top** | 1 mm | **No. of clips** | 10 |
| **Base unit size** | 45 cm | **Type of clips** | Standard |
| **Tap hole** | 2 | | |

## Accessories included

| | |
|---|---|
| **Accessories for installation** | Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control |



## Compatible Accessories



**3712**

Siphon single bowl sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITSLTRND1**

Bowl automatic pop up Rondò waste kit with rectangular overflow and round knob



**STABMIX**

Tap stabiliser

## Alternative products



**LFT861S**

**Colour:** Stainless Steel

## Symbols glossary




Cupboard width required for sink installation.




Sink depth - depending on the model, the depth can be from13 to 24,5.



Flat: Installation of product with flat edge.



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.