

LFTG861D

| | |
|---------------|-----------------|
| Sink material | Stainless steel |
| Type | Welded sink |
| No. of bowls | 1 |
| Drainer | Right |
| EAN code | 8017709282400 |



Aesthetics



| | | | |
|-----------|-----------------|----------------------------|------------|
| Aesthetic | Universale | Building in type | Flat |
| Colour | Stainless steel | Logo | Embossed |
| Finishing | Scotch Brite | Tap hole / precut tap hole | 2 Tapholes |
| Series | Mira | | |

| | Bowl type LH | Bowl thickness LH (mm) | Bowl dimensions LH, WxDxA (mm) | LH Bowl depth (mm) | Radius corner left bowl | Overflow LH bowl | Strainer position LH bowl | Strainer dimension LH bowl |
|---------|----------------|------------------------|--------------------------------|--------------------|-------------------------|-------------------|---------------------------|----------------------------|
| LH Bowl | Minimum radius | 1 | 450 x 400 x 200 | 200 | 15 | Yes, flush fitted | Wall position | 3.5" |

Technical Features




| | | | |
|--------------------------------|----------------|---------------------------------------|---------------|
| Frame thickness | 0,7 mm | Tap hole diameter | 35 mm |
| Frame depth (mm) | 18 | Popup command | Yes, single |
| Dimensions of the product (mm) | 218x870x510 mm | Popup command type | Squared |
| Cutout dimension topmount (mm) | 840 x 480 mm | Drainer inclination | 2 ° |
| Undermount cutout radius | 5 mm | Gasket type | Sealing paste |
| Height from kitchen top | 1 mm | No. of clips | 10 |
| Base unit size | 60 cm | Type of clips | Standard |
| Tap hole | 2 | Possibility to install waste disposal | Yes |

Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with round rotary control



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



CB28QU

Single HPL chopping board for minimum radius, oak, measures 280 x 418 H 12 mm



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITSLTRND1

Bowl automatic pop up Rondò waste kit with rectangular overflow and round knob



CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Flat: Installation of product with flat edge.