

LFTG861S

Sink material Stainless steel Welded sink Type

No. of bowls 1 Drainer Left

EAN code 8017709282417



Aesthetics



Universale **Aesthetic Building in type** Flat

Colour Stainless steel Logo **Embossed Finishing** Scotch Brite Tap hole / precut tap 2 Tapholes hole

Series Mira

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	450 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

Technical Features



Tap hole

0.7 mm Tap hole diameter Frame thickness 35 mm Frame depth (mm) 18 Popup command Yes, single Squared

Popup command type Dimensions of the 218x870x510 mm product (mm) **Drainer inclination**

840 x 480 mm **Cutout dimension** Sealing paste Gasket type

topmount (mm) No. of clips 10 **Undermount cutout** 5 mm

radius Standard Type of clips

Height from kitchen top 1 mm Possibility to install Yes Base unit size 45 cm waste disposal


SMEG SPA 22/11/2025



Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control



SMEG SPA 22/11/2025



Compatible Accessories





Siphon single bowl sinks (dishwasher connection included)

CB28QU



Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

DB34



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

KITSLTRND1



Bowl automatic pop up Rondò waste kit with rectangular overflow and round knob

CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

COL19



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

STABMIX



Tap stabiliser

SMEG SPA 22/11/2025



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Flat: Installation of product with flat edge.

SMEG SPA 22/11/2025