

# LGR116-2

Sink material Stainless steel
Type Welded sink

No. of bowls 2

**Drainer** Reversible

EAN code 8017709304195



### **Aesthetics**



AestheticUniversaleBuilding in typeUltra-low profileColourStainless steelLogoEmbossedFinishingBrushedTap hole / precut tap2 Tapholes

Series Alba hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Traditional	0.7	300 x 400 x 210	210	80		Wall position	3.5"
LH Bowl	Traditional	0.7	450 x 400 x 210	210	80	Yes, traditional	Wall position	3.5"

### **Technical Features**



Frame thickness 0.7 mm Frame depth (mm) 13

Dimensions of the product (mm)

223x1160x500 mm

1140 x 480 mm

Popup command Yes, double
Popup command type Round
Dividing wall width 30 mm
Drainer inclination 2 °

Cutout dimension

Gasket type Sealing paste

10

No. of clips

topmount (mm)

Type of clips Standard

**Height from kitchen top** 6 mm **Base unit size** 90 cm



Tap hole

2


Tap hole diameter

35 mm

## Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control





## **Compatible Accessories**





Siphon double bowls sinks (dishwasher connection included)

#### CB28QU



Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

#### COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

#### **DB34**



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

#### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### KITSLTRND2



2 Bowls automatic Rondò pop up waste kit with rectangular overflow and round knob

#### CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

#### COL19



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

#### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

#### KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### **STABMIX**



Tap stabiliser



# Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.