

# LGR861-2

<b>Sink material</b>	Stainless steel
<b>Type</b>	Welded sink
<b>No. of bowls</b>	1
<b>Drainer</b>	Reversible
<b>EAN code</b>	8017709304201



## Aesthetics



<b>Aesthetic</b>	Universale	<b>Building in type</b>	Ultra-low profile
<b>Colour</b>	Stainless steel	<b>Logo</b>	Embossed
<b>Finishing</b>	Brushed	<b>Tap hole / precut tap hole</b>	2 Tapholes
<b>Series</b>	Alba		

	<b>Bowl type LH</b>	<b>Bowl thickness LH (mm)</b>	<b>Bowl dimensions LH, WxDxA (mm)</b>	<b>LH Bowl depth (mm)</b>	<b>Radius corner left bowl</b>	<b>Overflow LH bowl</b>	<b>Strainer position LH bowl</b>	<b>Strainer dimension LH bowl</b>
LH Bowl	Traditional	0.7	450 x 400 x 210	210	80	Yes, traditional	Wall position	3.5"

## Technical Features




<b>Frame thickness</b>	0,7 mm	<b>Tap hole diameter</b>	35 mm
<b>Frame depth (mm)</b>	15	<b>Popup command</b>	Yes, single
<b>Dimensions of the product (mm)</b>	220x860x500 mm	<b>Popup command type</b>	Round
<b>Cutout dimension topmount (mm)</b>	840 x 480 mm	<b>Drainer inclination</b>	2 °
<b>Height from kitchen top</b>	6 mm	<b>Gasket type</b>	Sealing paste
<b>Base unit size</b>	60 cm	<b>No. of clips</b>	8
<b>Tap hole</b>	2	<b>Type of clips</b>	Standard

## Accessories included

### Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with round rotary control



## Compatible Accessories

### 3712



Siphon single bowl sinks (dishwasher connection included)

### CB28QU



Single HPL chopping board for minimum radius, oak, measures 280 x 418 H 12 mm

### COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

### DB34



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

### KITSLTRND1



Bowl automatic pop up Rondò waste kit with rectangular overflow and round knob

### CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 30 mm



### COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITSTR

1 Bowl automatic pop up waste kit with rectangular overflow and round knob



### STABMIX

Tap stabiliser

## Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.