

LLR861-2

| | |
|---------------|-----------------|
| Sink material | Stainless steel |
| Type | Welded sink |
| No. of bowls | 1 |
| Drainer | Reversible |
| EAN code | 8017709220990 |



Aesthetics



| | | | |
|-----------|-----------------|----------------------------|-------------------|
| Aesthetic | Universale | Building in type | Ultra-low profile |
| Colour | Stainless steel | Logo | Embossed |
| Finishing | Brushed | Tap hole / precut tap hole | 2 Tapholes |
| Series | Alba | | |

| | Bowl type LH | Bowl thickness LH (mm) | Bowl dimensions LH, WxDxA (mm) | LH Bowl depth (mm) | Radius corner left bowl | Overflow LH bowl | Strainer position LH bowl | Strainer dimension LH bowl |
|---------|--------------|------------------------|--------------------------------|--------------------|-------------------------|------------------|---------------------------|----------------------------|
| LH Bowl | Traditional | 0.7 | 340 x 400 x 210 | 210 | 80 | Yes, traditional | Wall position | 3.5" |

Technical Features




| | | | |
|--------------------------------|----------------|---------------------------------------|---------------|
| Frame thickness | 0,7 mm | Tap hole diameter | 35 mm |
| Frame depth (mm) | 16 | Popup command | Yes, single |
| Dimensions of the product (mm) | 228x860x500 mm | Popup command type | Round |
| Cutout dimension topmount (mm) | 840 x 480 mm | Drainer inclination | 2 ° |
| Undermount cutout radius | 15 mm | Gasket type | Sealing paste |
| Height from kitchen top | 6 mm | No. of clips | 8 |
| Base unit size | 45 cm | Type of clips | Standard |
| Tap hole | 1 | Possibility to install waste disposal | Yes |

Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with round rotary control



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



CB34

Single wooden chopping board to fit STD radius 340 x 400 mm bowl



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITSTR

1 Bowl automatic pop up waste kit with rectangular overflow and round knob



CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITSLTRND1

Bowl automatic pop up Rondò waste kit with rectangular overflow and round knob



STABMIX

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.