

LPSBSS03EU

Product Family

Espresso Coffee Machine

Type

Semi-Professional Coffee machine



Aesthetics

| | | | |
|-------------------------|----------------------|------------------------------|----------------------------|
| Aesthetic Series | Specialty Botticelli | Steam Wand Material | Stainless Steel-Cool Touch |
| Colour | Stainless steel | Water Wand Material | St. Steel-Cool Touch |
| Finishing | Glossy | Cup Grid Material | Steel |
| Body Color | Polished Steel | Brewing Unit Material | Brass |
| Body Material | Stainless Steel | Brewing Unit Color | Chromed |
| | | Knob type | Lever |

Programs / Functions main oven

| | |
|--------------------------------|-----|
| Coffee brewing function | Yes |
| Steam Function | Yes |
| Water tank empty alarm | Yes |
| Hot water function | Yes |

Technical Features

| | | | |
|-------------------------------|----------------|---|-----|
| Boiler Type | Dual Boiler | Boiler Manometer | Yes |
| Boiler Material | Copper & Brass | PID for Coffee Temperature | Si |
| Steam Boiler | Copper & Brass | PID for Steam Temperature | Yes |
| Coffee Boiler Capacity | 0.6 l | Electronic automatic water level | Yes |
| Steam Boiler Capacity | 1.8 l | Anti- Vacuum Valve | Yes |
| Tipologia di pompa | Rotary | Temperature light indicator | Yes |
| Pump Pressure | 20 bar | Brewing group | E61 |
| Brewing Unit Manometer | Yes | | |
| Water Tank Capacity | 2.9 l | | |
| Removable Water Tank | Yes | | |

| | | | |
|--------------------------------|-----|--|----------------|
| Water supply connection | Yes | Brewing Pressure Profiling Control (BPPC) | Yes |
| Pump Manometer | Yes | Cup Warmer | Passive |
| | | Steam Wand | Yes-Cool touch |
| | | Water Wand | Yes-Cool Touch |

Accessories Included

| | | | |
|-----------------------|-------------------------|--|-------|
| Filters | 1 cup/ 2 cups/ Blind | Filter holder internal diameter (with filter) | 58 mm |
| Cleaning Brush | Yes | Filter Gasket | Yes |
| Tamper Inox | Yes | Tube for water supply connection | Yes |
| Misurino | Yes | Tube for water drainage | Yes |
| Filter Holder | Double Spouted, Fascino | | |

Electrical Connection

| | | | |
|--------------------|--------------|--------------------------|----------|
| Plug | (F;E) Schuko | Frequency (Hz) | 50/60 Hz |
| Power | 2380 W | Power Cord Length | 1.8 m |
| Voltage (V) | 220-240 V | | |

Logistic Information

| | | | |
|-----------------------|--------|---------------------------|-----------|
| Product Depth | 420 mm | Packaged depth | 400 mm |
| Product Width | 295 mm | Height (mm) packed | 550 mm |
| Product Height | 410 mm | Net weight (kg) | 31.000 kg |
| Packed width | 510 mm | Gross weight (kg) | 34.600 kg |

Not included accessories



LPAPREPR01



LPADOSRD01



LPACEVRO01



LPACUPGL01



LPACEVNC01



LPAMUGCE01



LPAJUGSS01



LPAKEYRD01



LPADOSBL01



LPASBOBC01



LPAAPROBL01



LPACUPCE02



LPAKEYBL01



LPACUPCE01