

LPSGEV01EU

Product Family

Espresso Coffee Machine

Type

Semi-Professional Coffee machine



Aesthetics

| | | | |
|---------------|-----------------|-----------------------|----------------------------|
| Aesthetic | Abile | Brewing Unit Material | Brass |
| Series | Evoluzione | Brewing Unit Color | Chromed |
| Colour | Stainless steel | Water Wand Material | St. Steel-Cool Touch |
| Finishing | Glossy | Steam Wand Material | Stainless Steel-Cool Touch |
| Body Material | Stainless Steel | Cup Grid Material | Steel |
| Body Color | Polished Steel | | |

Technical Features

| | | | |
|------------------------|---------------------------------|----------------------------------|----------------|
| Water Tank Capacity | 3 l | Water supply connection | Yes |
| Boiler Type | Single Boiler w/ Heat Exchanger | Temperature light indicator | Yes |
| Removable Water Tank | Yes | Brewing group | E61 |
| Boiler Capacity | 1.8 l | Electronic automatic water level | Yes |
| Tipologia di pompa | Rotary | Anti- Vacuum Valve | Yes |
| Boiler Manometer | Yes | Cup Warmer | Passive |
| Pump Manometer | Yes | Steam Wand | Yes-Cool touch |
| Brewing Unit Manometer | Yes | Water Wand | Yes |
| Pump Pressure | 20 bar | | |

Accessories Included

| | | | |
|----------------|----------------------|---------------|--------------------------------|
| Filters | 1 cup/ 2 cups/ Blind | Filter Holder | Double Spouted, Single Spouted |
| Cleaning Brush | Yes | Filter Gasket | Yes |
| Tamper | Yes | | |
| Misurino | Yes | | |

| | |
|----------------------------------|-----|
| Tube for water supply connection | Yes |
| Tube for water drainage | Yes |

Electrical Connection

| | | | |
|-------------|--------------|-------------------|-------|
| Plug | (F;E) Schuko | Frequency (Hz) | 50 Hz |
| Power | 1520 W | Power Cord Lenght | 1.8 m |
| Voltage (V) | 220-240 V | | |

Logistic Information

| | | | |
|----------------|--------|--------------------|-----------|
| Product Depth | 425 mm | Packaged depth | 385 mm |
| Product Width | 330 mm | Height (mm) packed | 550 mm |
| Product Height | 410 mm | Net weight (kg) | 28,000 kg |
| Packed width | 515 mm | Gross weight (kg) | 30,000 kg |

Benefit (TT)

Boiler manometer

Boiler pressure manometer ensures quality and consistency in every espresso extraction.

Cellini Steam Wand

The stainless steel steam wand delivers perfectly smooth and velvety milk froth

Pressure manometer

Precise pressure control: the built-in manometer ensures easy and accurate monitoring for consistently perfect extractions

Water supply connection

Possibility to connect directly to the mains water supply for continuous operation

Heat Exchanger

Thanks to the single boiler with heat exchanger, you can brew espresso and froth milk simultaneously