

LR102

Sink material	Stainless steel
Type	Welded sink
No. of bowls	1 + 1/2
Drainer	Reversible
EAN code	8017709138813



Aesthetics



Aesthetic	Universal	Logo	Silk screen
Serie	Quadra	Alternative colours available	No
Colour	Stainless steel	Half bowl cup drainer	No
Acabamento	Satin	Tap hole / precut tap hole	2 Tapholes
Building in type	Flush fitted, Flat		

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	340 x 450 x 200	200	10	Yes, traditional	Side bowl	3.5"
LH Bowl	Half bowl	1	180 x 270 x 130	130	10	No	Centre of bowl	3.5"

Technical Features




Frame depth (mm)	5	Popup command type	Squared
Dimensions of the product (mm)	200x1004x504 mm	Dividing wall width	30 mm
Cutout dimension topmount (mm)	984 X 484 mm	Drainer inclination	2 °
		Gasket type	Sealing paste
Cutout radius	10 mm	Pre-assembled gasket	No
		No. of clips	10

Height from kitchen top	1 mm	Type of clips	Standard
Base unit size	60 cm		
Tap hole	1		
Popup command	Yes, single		

Accessories Included

Accessories for installation	Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic Pop-UP	Basket	No
		Wooden board	No
		White board	No
Colander	No		
Glass board	No		



Compatible Accessories



STABMIX

estabilizador para misturadores

Symbols glossary

	Largura do armário necessária para a instalação da pia		Profundidade da pia - dependendo do modelo, a profundidade pode ser de 13 a 24,5
	Profundidade da pia - dependendo do modelo, a profundidade pode ser de 13 a 24,5		Plana Instalação de produtos com aresta plana.
	Instalação embutida: Modelos de pias/fogões que são integrados nivelados com a mesa de uma unidade de cozinha.		Graças ao furo duplo para torneira, a maioria de nossas pias são facilmente reversíveis, dando-lhe a flexibilidade de fazer qualquer tipo de composição de cozinha.

Benefit (TT)

Two bowls

Two bowls for greater versatility and dual functionality

Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

Pop-up command

The pop-up command allows the sink drain to be opened and closed remotely with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area