# LRX902

| | |
|---|---|
| **Sink material** | Stainless steel |
| **Type** | Welded sink |
| **No. of bowls** | 2 |
| **EAN code** | 8017709208936 |



## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | Linea | **Building in type** | Standard |
| **Colour** | Stainless steel | **Logo** | Embossed |
| **Finishing** | Brushed | **Tap hole / precut tap hole** | 1 Tap hole |

| | Bowl type RH | Bowl thickness (mm) | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow | Strainer position | Strainer dimension |
|---|---|---|---|---|---|---|---|---|
| RH Bowl | Minimum radius | 1 | 400 x 340 x 200 | 200 | 15 | Yes, flush fitted | Side bowl | 3.5" Steel cover |
| LH Bowl | Minimum radius | 1 | 400 x 340 x 200 | 200 | 15 | | Side bowl | 3.5" Steel cover |


## Technical Features

| | | | |
|---|---|---|---|
| **Frame thickness** | 0,7 mm | **Tap hole** | 1 |
| **Frame depth (mm)** | 9 | **Tap hole diameter** | 35 mm |
| **Dimensions of the product (mm)** | 219x897x510 mm | **Dividing wall width** | 29 mm |
| **Cutout dimension topmount (mm)** | 860 x 480 mm | **Gasket type** | Sealing paste |
| | | **No. of clips** | 12 |
| | | **Type of clips** | Standard |
| **Undermount cutout radius** | 10 mm | | |

| | |
|---|---|
| **Height from kitchen top** | 10 mm |
| **Base unit size** | 90 cm |

## Accessories included

| | | | |
|---|---|---|---|
| **Accessories for installation** | Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket | **Rondò Cover waste kit** | Yes |



## Compatible Accessories



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**RND2V**

2 Bowls standard Rondò waste kit with rectangular overflow



**CVB40N2**

LINEA black sliding glass and st/steel chopping board 450 x 400 mm (2 pcs each kit)



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**STABMIX**

Tap stabiliser

## Symbols glossary




Cupboard width required for sink installation.




Sink depth - depending on the model, the depth can be from13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.