


# LSEG860A2

Sink material Composite  
 Type Composite bowl  
 No. of bowls 1  
 EAN code 8017709274764



## Aesthetics

 Aesthetic Universale  
 Colour Anthracite  
 Series Classica  
 Building in type Standard  
 Logo On overflow  
 Alternative colours Cream, Beige, Copper  
 available  
 Tap hole / precut tap hole Prepared

	Bowl type RH	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	780 x 370 x 235	235	50	Yes, traditional	Side bowl	3.5"

## Technical Features



**Characteristics composite material** Antibacterial, Easy to clean, Anti-scratch, Thermal shock resistant, High temperatures resistant, Impact resistant, UV Resistant  
**Base unit size** 90 cm  
**Tap hole** 2  
**Tap hole diameter** 35 mm  
**No. of clips** 8  
**Type of clips** Standard  
**Frame depth (mm)** 5  
**Dimensions of the product (mm)** 240x860x500 mm


---

Cutout dimension topmount (mm)	840 x 480 mm
Undermount cutout radius	15 mm
Height from kitchen top	10 mm

## Accessories included

---

Accessories for installation	Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips
------------------------------	--



---

## Compatible Accessories

---



### **KITDSQ**

Soap dispenser chrome finishing with square knob 40x40 mm



### **KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### **KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### **KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Alternative products

---

**LSEG860AV2**

Colour: Oats



**LSEG860P**











Colour: Cream



---

## Symbols glossary

---

	Antibacterial		Antiscratch
	Cupboard width required for sink installation.		Sink depth - depending on the model, the depth can be from 13 to 24,5.
	Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.		Thermal shock resistant
	High temperatures resistant		Impact resistant
	Easy to clean		UV protection, does not fade over time.