

LSEG860AV2

Sink material Composite
Type Composite bowl

No. of bowls

EAN code 8017709274757



Aesthetics



Aesthetic Universale Logo On overflow

Series Classica Alternative colours Anthracite, Cream, Copper

Colour Oats available

Building in type Standard Tap hole / precut tap Prepared hole

	Bowl type RH	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	780 x 370 x 235	235	50	Yes, traditional	Side bowl	3.5"

Technical Features













Characteristics composite material

Antibacterial, Anti-scratch, Termal schock resistant, High temperatures

resistant, Impact resistant, Easy to clean, UV Resistant Base unit size90 cmTap hole2Tap hole diameter35 mmNo. of clips8Type of clipsStandard

Frame depth (mm) 5

Dimensions of the product (mm)
Cutout dimension

240x860x500 mm

Cutout dimension 840 x 480 mm topmount (mm)



 ${\bf Undermount}\ {\bf cutout}$

15 mm

radius


Height from kitchen top

10 mm

Accessories Included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet





Soap dispenser chrome finishing with square knob 40x40 mm



Symbols glossary (TT)



Cupboard width required for sink installation



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Antiscratch



High temperatures resistant



Easy to clean



Sink depth - depending on the model, the depth can be from 13 to 24,5



Antibacterial



Termal schock resistant



Impact resistant



UV protection, does not fade over time.