

# **LSPU8212S**



Product family Dishwashers

Width 24" Commercial height 82 cm

**Installation** Under counter built-in

N° baskets

EAN code 8017709303709



## **Programs**







Number of programs 5

Washing temperatures 45, 50, 65, 70 °F

Daily (half load) Yes

Delicates Normal

Pots & Pans Yes

Yes

Yes

## **Options**

Professional option

Intensive washing zone option

### **Baskets**



Basket components Gray

finish

Upper basket Central fixed racks

Glass holder Yes

Upper basket height On two height levels

adjustment

tment

Largest loadable dish in 25,0 inches upper basket

**Lower basket** Fixed racks

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 inches

lower basket

Colour Inner Blue

Components

Cutlery basket Yes

### **Technical Features**

SMEG SPA 12/3/2025





Width 23 9/16 " 22 7/16 " Depth Height 32 3/16 " Symbols Program symbols

On/off indicator Yes Rinse aid indicator Light

**End-of-cycle indicator** Light on display, with

acoustic signal

Washing system Standard Third spray arm Single

Flood protection system Single Aquastop Max water hardness 100°fH:58°dH

Drying system Natural condensation

drying

Tub material Stainless steel **Filter** Stainless steel

Concealed heating Yes

element

Hinges Self-balancing with fixed

hinges

3.9" - 6.6"

Min. and max plinth

height

Adjustable feet 2 3/4", from 32 1/4" to 35"

Additional gaskets Yes Back cover Yes Depth of dishwasher 1146 mm

with open door (mm)

Top cover Metal sheet

## **Electrical Connection**

Connected power 1800 W Current 10 A 110-120 V Voltage Frequency (Hz) 60 Hz


Connection type Power supply cable length

Plug

140 "

Single-phase

(A) USA & Mexico



SMEG SPA 12/3/2025



## **Compatible Accessories**

#### KITPL60FABB

Toekick Kit in White colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.



#### KITPL60FABN

Toekick Kit in Black colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.

### KITPL60FABX

Toekick Kit in Stainless Steel with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.



### KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2



SMEG SPA 12/3/2025



## Symbols glossary



Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



COMM\_HEIGHT\_82\_72dpi



Noise Level: Excellent insulation and special devices keep noise to a minimum.



1/2 load: This program is designed for washing dishes not heavily soiled with partial load of the dishwasher.



Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



The symbols show the number of plate settings of the dishwasher.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.

SMEG SPA 12/3/2025