

LV612SVE

Product Family Dishwashers
Width 60 cm
Commercial height 85 cm

Installation Free-standing

N° baskets 2

MotorSingle phaseEAN code8017709226664



Programmes













soak



No. of programmes 5+5 quick programmes Ultraclean Yes Washing temperatures 38, 50, 65, 70 °C Daily 1/2 load Yes Soak **ECO Quick** Yes Rapid 27' Yes **Delicate and Quick** Yes Glass Yes **Normal Quick** Yes **ECO** Super Quick Yes Yes

Options



Delay timer option 3-6-9 hours, with automatic Quick Time option Yes

Baskets



colour

Upper Basket

Basket colour Grey Lower Basket With fixed racks

Basket components Grey Lower basket with anti- Yes

drip inserts

With central fixed racks Largest loadable dish in 30,0 cm

Height adjustment of On two levels, by extraction lower basket

the upper basket Cutlery basket 13 place settings sliding

Largest loadable dish in 23,5 cm upper basket



Technical Features





Width (mm) 598 mm Depth (mm) 600 mm Product Height (mm) 848 mm Controls Electronic Programme graphics Symbols On/off indicator Yes Salt light indicator Light Rinse aid indicator Light

End of cycle indicator Led on display, with acoustic signal

Washing system Orbital Third spray arm Single

Water softener With electronic setting Flood protection system Single Acquastop

Water supply

60°C - energysave with hot

water up to 35%

Max water hardness Drying system Tank material

Filter

Concealed heating

element

Hinges

Adjustable feet Insulation level **Back cover**

Depth of dishwasher with open door (mm)

Removable top Top cover

Single; cold/hot water max.

100°fH;58°dH

Natural condenser drying

Stainless steel Stainless steel

Yes

Self balancing with fixed

hinges

Just for levelling

Medium

Yes, with covered counterweight

1168

Yes, with optional KIT

In plastic


Electrical Connection

Plug (G) UK e Singapore Connected power 1800 W

Current 13 A 220-240 V Voltage

Frequency (Hz) Type of connection Power supply cable length

50 Hz Single-phase 140 cm



08/06/2025 **SMEG SPA**



Compatible Accessories

KITINC



a steel bar fitted on the top will block the dishwasher at the top.

K

KITPLV2

Kit extension for dishwasher and

washing machine: length mt. 2



Symbols glossary



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



1/2 load: This program is designed for washing dishes not heavily soiled with partial load of the dishwasher.



Delicate Quick: Program Delicate Quick is suitable for quick washing of delicate dishes.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal Quick: Program Normal Quick is suitable for quick washing of mixed dishes, for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Super Quick: The super Quick programme is suitable for removing stubborn dirt fast.



The symbols show the number of plate settings of the dishwasher.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Benefit

Orbital Wash System

The Orbital Wash System ensures even water distribution, delivering deep cleaning while keeping noise levels low, thanks to its dual rotating spray arms

Orbital washing system, which, thanks to its double arm, its 7 water exit points and thanks to overlapping and simultaneous rotations and 40 rotations per minute, allows ample coverage of the tank area, thus guaranteeing optimal results in any basket-loading configuration.