

LVFABBL3





Product Family Dishwashers Commercial width 60 cm Commercial height 85 cm Installation

Free-standing N° baskets 3, FlexiDuo Motor Inverter 2.0 **EAN** code 8017709305116



Programs





















N. of programmes 10 + 1Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

ECO Yes

70° Auto sensor 45-65

Yes Quiet (-2 dB) Yes Intense Yes Self clean Yes **Sterilise**

Hygiene 99,9%

Options









Dry Assist+ option **Delay timer option** Yes Up to 9 hours 1/2 load FlexiZone

Yes

Yes

Yes

option

Special programs option Yes

Baskets



colour



Basket colour Grey **Basket components**

Grey

Upper basket with EasyGlide System

Yes

Largest loadable dish in 19,0 cm

upper basket

With 4 foldable racks Lower Basket



Handle

In plastic with stainless steel insert on upper and

lower basket

Upper Basket

With 3 foldable racks

Glass holder

Yes

Height adjustment of the upper basket

On three levels (5 cm)

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner Components Grey

Yes

Technical Features







Width (mm) Depth (mm)

598 mm 627 mm

Display type Product Height (mm) LED display (1 digit)

Controls Display

885 mm Electronic

Programme graphics On/off indicator Salt light indicator Rinse aid indicator

Symbols Yes Light

End of cycle indicator Washing system Third spray arm

Water softener

Delayed start Light

Acoustic signal Planetarium

Single

With electronic setting

Turbidity sensor

Aquatest

Flood protection system Total Acquastop

Water supply

Single; cold/hot water max. 60°C - energysave with hot

water up to 35% 100°fH;58°dH

Max water hardness Drying system

Natural condenser drying, with Dry Assist + automatic door opening system at the

end of the cycle Stainless steel

Stainless steel

Filter Concealed heating

element

Hinges

Tub material

Self balancing with fixed hinges

Yes

Adjustable feet Just for levelling

Back cover Depth of dishwasher

with open door (mm)

Top cover

Yes 1171 mm

In plastic

Performance / Energy Label - Reg. 2019



cycle]







Energy Efficiency Class В

Energy consumption 63 kWh

[per 100 cycles, based on the eco programme] Rated capacity (ps)

Water consumption [per 9,0 litres

13

Programme duration Airborne acoustical

noise emissions Airborne acoustical

noise emission class **Energy efficiency Index**

4:25 h:min

45 dB(A) re 1 pW

37,9

С

(EEI)

Electrical Connection

1800 W Connected power Current 10 A

Type of connection

Single-phase




Voltage 220-240 V

Frequency (Hz) 50 Hz Power supply cable length

Plug (F;E) Schuko


140 cm





Compatible Accessories


KITGH



KITINC



KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2



Alternative products



LVFABCR3
Colour: Cream



Symbols glossary



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



To improve the drying of dishes without leaving stains.



Energy efficiency class B



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the washing cycle.



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.





The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.



SILENT: Wash cycle suitable for normally soiled dishes, even with dried-on residues. Ensures maximum noise reduction and is therefore ideal if you wish to run it during the night.



Allows you to enable additional programs when selected together with any wash cycle. After having selected the required wash cycle, press the button (





Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Express 27': The Express 27' programme is a quick wash cycle, at low temperatures, for lightly soiled dishes.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



13 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria.