

LVFABCR3





Product Family Dishwashers Commercial width 60 cm Commercial height 85 cm Installation Free-standing

N° baskets 3, FlexiDuo Motor Inverter 2.0 **EAN** code 8017709305109



Programs

























N. of programmes 10 + 1Washing temperatures Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

ECO Yes

38, 45, 50, 55, 65, 70, 75 °C

Quiet (-2 dB) Intense Self clean **Sterilise**

Hygiene 99,9%

Auto sensor 45-65

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Options









Dry Assist+ option **Delay timer option** 1/2 load FlexiZone

Yes

Yes

Up to 9 hours

Intensive wash zone option

Special programs option Yes

Baskets

option





Basket colour **Basket components**

colour

Grey Grey Upper basket with EasyGlide System

Largest loadable dish in 19,0 cm

upper basket



Handle

In plastic with stainless

lower basket

Upper Basket Glass holder

Height adjustment of the upper basket

steel insert on upper and

Yes

On three levels (5 cm)

With 3 foldable racks

Lower Basket

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner Components With 4 foldable racks

Grey Flexiduo, Grey Planetarium, Cup shelfes,

Handle, Anti drop inserts, Cutlery basket: same colour

of Dishwasher

Technical Features







Width (mm) 598 mm Depth (mm) 627 mm

Display type LED display (1 digit)

Product Height (mm) 885 mm Controls Electronic Display Delayed start Programme graphics Symbols On/off indicator Yes Salt light indicator Light

Rinse aid indicator Light End of cycle indicator Acoustic signal

Planetarium Washing system Third spray arm Single

Water softener With electronic setting Turbidity sensor

Aquatest

Flood protection system

Water supply

Total Acquastop

Yes

Single; cold/hot water max. 60°C - energysave with hot

water up to 35% 100°fH;58°dH

Max water hardness

Drying system

Natural condenser drying,

with Dry Assist + automatic door opening system at the

end of the cycle

Tub material Stainless steel Filter Stainless steel

Concealed heating

element

Hinges

Top cover

Self balancing with fixed

hinges

Yes

Yes

Adjustable feet Just for levelling

Back cover Depth of dishwasher

with open door (mm)

1171 mm

In plastic

Performance / Energy Label - Reg. 2019









Energy Efficiency Class 63 kWh **Energy consumption**

[per 100 cycles, based on the eco programme]

Rated capacity (ps) 13 Water consumption [per 9,0 litres

cycle]

Programme duration

Airborne acoustical noise emissions

Airborne acoustical noise emission class

Energy efficiency Index

(EEI)

4:25 h:min

45 dB(A) re 1 pW

С

37,9

Electrical Connection




Connected power 1800 W Type of connection Single-phase

Current 10 A Power supply cable 140 cm

Voltage 220-240 V length

Frequency (Hz) 50 Hz Plug (F;E) Schuko





Compatible Accessories

KITGH KITINC



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2





Alternative products



LVFABBL3
Colour: Black



Symbols glossary



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



To improve the drying of dishes without leaving stains.



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Express 27': The Express 27' programme is a quick wash cycle, at low temperatures, for lightly soiled dishes.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



13 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.




Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.





SILENT: Wash cycle suitable for normally soiled dishes, even with dried-on residues. Ensures maximum noise reduction and is therefore ideal if you wish to run it during the night.





The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the washing cycle.



Allows you to enable additional programs when selected together with any wash cycle. After having selected the required wash cycle, press the button (



<u>(\$</u>)

Energy efficiency class B



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria.



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.

