

LVS344PM





Product Family Dishwashers Width 60 cm Commercial height 85 cm

Installation Free-standing N° baskets 3, FlexiDuo Motor Inverter 2.0 Type Semi professional EAN code 8017709307356



Programmes





















No. of programmes 10 + 145, 50, 65, 70, 75 °C Washing temperatures Soak Crystal Yes Full express - 60 Yes minutes **ECO** Yes

Auto sensor 45-65 Yes Mix Yes Intense Yes Self clean Yes Hygiene 99,9% Yes **Ultra Express** Yes

Professional programs



Crystal Pro Yes

Options











Dry Assist+ option **Delay timer option** Yes

Up to 24 hours, with automatic soak

1/2 load FlexiZone option (varied distribution)

Yes

Professional option Yes

Baskets







Basket colour Basket components

colour Handle Grey Grey

Yes

lower basket

Upper Basket Glass holder

Height adjustment of the upper basket

In plastic with stainless steel insert on upper and

With 3 foldable racks

On three levels

Sliding Guides Extra

Glide

Largest loadable dish in 19,0 cm

upper basket

Lower Basket

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner Components With 4 foldable racks

Blue

Yes

Technical Features







Width (mm) 598 mm Depth (mm) 600 mm LED display Display type Product Height (mm) 850 mm Controls Electronic

Display Delayed start, Programme time indicator, Time to end

indication Symbols

Programme graphics Salt light indicator Light Rinse aid indicator Light **Progress indicator** Yes

End of cycle indicator On display, with acoustic

signal

Planetarium Washing system Third spray arm Single With electronic setting

Water softener

Turbidity sensor Aquatest

Water supply

Yes

Flood protection system Total Acquastop

Single; cold/hot water max. 60°C - energysave with hot

water up to 35% 100°fH:58°dH

Max water hardness

Drying system

Natural condenser drying, with Dry Assist + automatic

door opening system at the end of the cycle Stainless steel

Tank material Filter Stainless steel

Concealed heating

element

Hinges

Top cover

Self balancing with fixed

hinges

Yes

Adjustable feet Just for levelling Yes

Back cover Depth of dishwasher

with open door (mm)

1168 mm

In plastic

Removable top Yes, with optional KIT

Performance / Energy Label

C

75 kWh









Energy Efficiency Class (Washing cycle)

Energy consumption [per 100 cycles, based on the eco programme]

Rated capacity (ps) 14

Water consumption [per 10,5 litres

cycle]

Programme duration Airborne acoustical

noise emissions (spinning phase) Airborne acoustical

noise emission class

Energy efficiency Index

4:25 h:min

44 dB(A) re 1 pW

43.8

В

(EEI) (Washing cycle)




Electrical Connection

Connected power 5450 W Current 32 A Voltage 220-240 V

Frequency (Hz) 50 Hz Type of connection Power supply cable 200 cm

Single-phase length





Compatible Accessories

KITGH



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



KITINC

a steel bar fitted on the top will block the dishwasher at the top.

KITPLV2



Kit extension for dishwasher and washing machine: length mt. 2



Symbols glossary



Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



The new ExtraGlide guide system, available on top of the range models, makes the second basket even smoother and softer. In fact, it facilitates the extraction of the introduction, even at full load and, for the greater excursion, the insertion of crockery is also facilitated in the rear part.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



PLANETARIUM_WASHING_SYSTEM_72dpi



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



Professional: Option Professional enables to convert household appliances into semiprofessional ones due to the programs which significantly reduce washing time to obtain an astonishing 16 minutes cycle.



Quick Time: The Quick Time option can reduce the length of the wash cycle up to 55%.



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



...



...

Ġ

Special quick program for washing glasses.





The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c



Energy efficiency class C



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.





Benefit

FlexiDuo

For added convenience, the flexible third basket—FlexiDuo—adapts to accommodate various types of dishes, giving you extra space and better organisation with every load

The third FlexiDuo basket consists of two separate sections that can be handled independently of each other, stacked and/or removed, offering loading flexibility for every need. Depending on the arrangement, it allows cups, tall glasses, bulky utensils and pots and pans to be placed in the upper basket.

Planetarium Wash System

Smeg's unique Planetarium Wash System uses a specially designed spray arm to deliver full, deep cleaning coverage across every corner of the dishwasher

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.

Extra Glide Telescopic Guides

Smoother and more stable loading and unloading operations

Extra Glide telescopic guides ensure smooth and safe extraction of the upper basket, even with heavy loads. The telescopic design ensures smooth, stable and silent movement, improving ergonomics and convenience. Ideal for optimising space and ease of use, they combine durability and comfort in every washing operation.

DryAssist+

At the end of the cycle, the Dry Assist+ feature automatically opens the door to speed up drying and improve energy efficiency