

# LVS344PM





**Product Family** Dishwashers Commercial width 60 cm Commercial height 85 cm

Installation Free-standing N° baskets 3, FlexiDuo Motor Inverter 2.0 Type Semi professional EAN code 8017709307356



### **Programme / Functions**























N. of programmes 10+1 45, 50, 65, 70, 75 °C Washing temperatures Soak Crystal Yes Crystal Pro Yes Full express - 60 Yes minutes

Yes

Auto sensor 45-65 Yes Mix Yes Intense Yes Self clean Yes Hygiene 99,9% Yes **Ultra Express** Yes

### **Options**



**ECO** 







Dry Assist+ option **Delay timer option** 

Up to 24 hours

1/2 load FlexiZone

Yes

option

Professional option Yes

#### **Baskets**



colour



**Basket colour Basket components** 

Grey Grey

Sliding Guides Extra

Yes

Glide

Largest loadable dish in 19,0 cm

upper basket

With 4 foldable racks Lower Basket



Handle

In plastic with stainless steel insert on upper and

lower basket

**Upper Basket** 

With 3 foldable racks

Glass holder

Height adjustment of the upper basket

Yes

On three levels (5 cm)

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner Components Blue

#### **Technical Features**







Width (mm) Depth (mm) Display type

LED display Product Height (mm) 850 mm Controls Electronic

Display

Delayed start, Programme time indicator, Time to end

> indication Symbols

With electronic setting

Light

598 mm

600 mm

Programme graphics Salt light indicator Rinse aid indicator **Progress indicator** 

Light Yes End of cycle indicator On display, with acoustic

signal Washing system Planetarium Third spray arm Single

Water softener

Turbidity sensor Yes

Aquatest

Flood protection system

Water supply

**Total Acquastop** Single; cold/hot water max.

60°C - energysave with hot

water up to 35% 100°fH;58°dH

Max water hardness Drying system

Natural condenser drying, with Dry Assist + automatic door opening system at the

end of the cycle Stainless steel

Tub material Filter Stainless steel

Concealed heating

element

Hinges

Self balancing with fixed

hinges

Yes

Yes

1168

Adjustable feet Just for levelling

Back cover Depth of dishwasher

with open door (mm)

Removable top

Yes, with optional KIT

Top cover In plastic

## Performance / Energy Label NEW 2019









**Energy Efficiency Class Energy consumption** 75 KWh

[per 100 cycles, based on the eco programme]

Rated capacity (ps) 14

Water consumption [per 10.5 litres cycle]

Programme duration Airborne acoustical noise emissions

> Airborne acoustical noise emission class

**Energy efficiency Index** 

(EEI)

4:25 h:min

44 dB(A) re 1 pW

В


43.8

#### **Electrical Connection**

50 Hz Plug Not present Frequency (Hz)



Connected power Current Voltage 5450 W 32 A 220-240 V Type of connection Power supply cable length Single-phase 200 cm





## Not included accessories

#### KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2

#### **KITGH**



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



### Symbols glossary (TT)



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



To improve the drying of dishes without leaving stains.



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



The ExtraGlide guides system makes the second basket run even smoother and softer. It facilitates movement even when fully loaded, and thanks to the increased excursion, facilitates the insertion of dishes into the basket.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



Professional: Option Professional enables to convert household appliances into semiprofessional ones due to the programs which significantly reduce washing time to obtain an astonishing 16 minutes cycle.



Quick Time: The Quick Time option can reduce the length of the wash cycle up to 55%.



14 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.





System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.



Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.



Special quick program for washing glasses.



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the washing cycle.



Energy efficiency class C



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria.



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.