

# LVSP345BQX



|                   |                             |
|-------------------|-----------------------------|
| Product Family    | Dishwashers                 |
| Width             | 60 cm                       |
| Commercial height | 85 cm                       |
| Installation      | Free-standing               |
| N° baskets        | 3, FlexiDuo with Easy Glide |
| Motor             | Inverter 2.0                |
| EAN code          | 8017709307295               |



## Programmes



|                           |                               |                   |     |
|---------------------------|-------------------------------|-------------------|-----|
| No. of programmes         | 10+1                          | Auto sensor 45-65 | Yes |
| Washing temperatures      | 38, 45, 50, 55, 65, 70, 75 °C | Mix               | Yes |
| Soak                      | Yes                           | Quiet (-2 dB)     | Yes |
| Express 27'               | Yes                           | Intense           | Yes |
| Crystal                   | Yes                           | Self clean        | Yes |
| Full express - 60 minutes | Yes                           | Hygiene 99,9%     | Yes |
| ECO                       | Yes                           |                   |     |

## Options



|                    |                                     |   |     |
|--------------------|-------------------------------------|---|-----|
| Dry Assist+ option | Yes                                 | 1/2 load FlexiZone option (varied distribution) | Yes |
| Delay timer option | Up to 24 hours, with automatic soak | Special programs option                         | Yes |

## Baskets



|                          |      |                                       |         |
|--------------------------|------|---------------------------------------|---------|
| Basket colour            | Grey | Upper basket with EasyGlide System    | Yes     |
| Basket components colour | Grey | Largest loadable dish in upper basket | 19,0 cm |

|  |  |  |                       |
|--|--|--|-----------------------|
| <b>Handle</b>                                | In plastic with stainless steel insert on upper and lower basket | <b>Lower Basket</b>                          | With 4 foldable racks |
| <b>Upper Basket</b>                          | With 3 foldable racks  | <b>Lower basket with anti-drip inserts</b>   | Yes                   |
| <b>Glass holder</b>                          | Yes  | <b>Largest loadable dish in lower basket</b> | 30,0 cm               |
| <b>Height adjustment of the upper basket</b> | On three levels  | <b>Colour Inner Components</b>               | Blue                  |

## Technical Features



|                               |  |  |   |
|-------------------------------|--|--|---|
| <b>Width (mm)</b>             | 598 mm   | <b>Turbidity sensor Aquatest</b>               | Yes   |
| <b>Depth (mm)</b>             | 600 mm   | <b>Flood protection system</b>                 | Total Acquastop   |
| <b>Display type</b>           | OLED   | <b>Water supply</b>                            | Single; cold/hot water max. 60°C - energysave with hot water up to 35%                            |
| <b>Product Height (mm)</b>    | 848 mm   | <b>Max water hardness</b>                      | 100°FH;58°dH  |
| <b>Controls</b>               | Electronic   | <b>Drying system</b>                           | Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle |
| <b>Display</b>                | Delayed start, Programme time indicator, Time to end indication, Dynamics programme time indicator | <b>Tank material</b>                           | Stainless steel   |
| <b>Programme graphics</b>     | Symbols  | <b>Filter</b>                                  | Stainless steel   |
| <b>On/off indicator</b>       | Yes  | <b>Concealed heating element</b>               | Yes   |
| <b>Salt light indicator</b>   | Light  | <b>Hinges</b>                                  | Self balancing with fixed hinges  |
| <b>Rinse aid indicator</b>    | Light  | <b>Adjustable feet</b>                         | Just for levelling  |
| <b>End of cycle indicator</b> | On display, with acoustic signal   | <b>Back cover</b>                              | Yes, with covered counterweight   |
| <b>Washing system</b>         | Planetarium  | <b>Depth of dishwasher with open door (mm)</b> | 1168  |
| <b>Third spray arm</b>        | Single   | <b>Removable top</b>                           | Yes, with optional KIT  |
| <b>Water softener</b>         | With electronic setting  |  |   |


## Performance / Energy Label



|  |            |   |                  |
|--|------------|---|------------------|
| <b>Energy Efficiency Class (Washing cycle)</b>                         | B          | <b>Programme duration</b>                                   | 4:25 h:min       |
| <b>Energy consumption [per 100 cycles, based on the eco programme]</b> | 64 KWh     | <b>Airborne acoustical noise emissions (spinning phase)</b> | 44 dB(A) re 1 pW |
| <b>Rated capacity (ps)</b>   | 14         | <b>Airborne acoustical noise emission class</b>             | B                |
| <b>Water consumption [per cycle]</b>                                   | 9,0 litres | <b>Energy efficiency Index (EEI) (Washing cycle)</b>        | 37,8             |

## Electrical Connection

|                        |              |                                  |              |
|------------------------|--------------|----------------------------------|--------------|
| <b>Plug</b>            | (F;E) Schuko | <b>Frequency (Hz)</b>            | 50 Hz        |
| <b>Connected power</b> | 1800 W       | <b>Type of connection</b>        | Single-phase |
| <b>Current</b>         | 10 A         | <b>Power supply cable length</b> | 140 cm       |
| <b>Voltage</b>         | 220-240 V    |                                  |              |



---


## Compatible Accessories

---



### KITGH

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



### KITINC






















a steel bar fitted on the top will block the dishwasher at the top.









### KITPLV2

Kit extension for dishwasher and washing machine: length mt. 2

## Symbols glossary

|  |  |   |  |
|--|--|---|--|
|    | Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.  |    | Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.   |
|    | Energy efficiency class B  |    | Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.  |
|    | LED display: to show programmes, functions and options selected and the time to the end of the cycle.  |    | The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash cycle.  |
|    | EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.  |    | FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.   |
|    | FlexiZone: The 1/2 load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.   |    | Noise Level: Excellent insulation and special devices keep noise to a minimum.   |
|  | The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level. |  | Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.  |
|  | PLANETARIUM_WASHING_SYSTEM_72dpi   |  | Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.  |
|  | Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.  |  | Soak programme: The soak programme provides a rinse to prevent dirt from drying.   |
|  | Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.  |  | Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°C eliminating virtually all bacteria.   |
|  | Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.   |  | Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary. |
|  | The symbols show the number of plate settings of the dishwasher.   |   |  |

|  |  |   |   |
|--|--|---|---|
|  | System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher. |  | ...   |
|  | ...  |  | ...   |
|  | ...  |  | HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising |

---

## Benefit

---

### **FlexiDuo**

For added convenience, the flexible third basket—FlexiDuo—adapts to accommodate various types of dishes, giving you extra space and better organisation with every load

The third FlexiDuo basket consists of two separate sections that can be handled independently of each other, stacked and/or removed, offering loading flexibility for every need. Depending on the arrangement, it allows cups, tall glasses, bulky utensils and pots and pans to be placed in the upper basket.

### **Planetarium Wash System**

Smeg's unique Planetarium Wash System uses a specially designed spray arm to deliver full, deep cleaning coverage across every corner of the dishwasher

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.

### **DryAssist+**

At the end of the cycle, the Dry Assist+ feature automatically opens the door to speed up drying and improve energy efficiency